



# How to add CAM user using Planning Analytics Workspace

## How To

### Summary

If you want to add user manually before first login attempt.  
In Planning Analytic 2.0.9.x you could add user using Architect , this is not option in Planning Analytics 2.1.

### Objective

Add manually CAM user permission to the Planning Analytics instance

### Steps

Find user in Cognos Analytics and copy CAMID Search path.

Accounts

Find

All members

Cognos Users

Name

Modified

groups

---

Admin Admin

2/3/2025 3:10 AM

User1 User1

1/30/2025 3:55 AM

User2 User2

3/1/2022 12:34 PM

User3 User3

---

User3 User3

Owner User3 User3

Created: 2/3/2025, 3:20 AM

Modified: 2/3/2025, 3:20 AM

Type: User

General Personal Permissions

Description

Advanced

Disable this entry

Location Directory > Cognos Users

Search path CAMID("CognosEx:u:uid=user3")

ID xQ29nbm9zRXg6dTp1aWQ9dXM

User ID User3

Given name User3

Surname User3

Email

Password

The add user can be done 2 ways.

Option 1) create Ti process using AddClient fufuncion , example:

```
AddClient('CAMID("CognosEx:u:uid=user3")');
```

Option 2)

Open Planning Analytics workbench in instance where we want to add user in control object find }Clients dimension and add CAMID from previous step.

GO\_New\_Stores\_CAM: Users and groups

}Clients

×

Dimension editor

GO\_New\_Stores\_CAM / }Clients

⋮

Hierarchy

⋮

Filter (optional)

⋮

}Clients

▼

Choose filter

▼

Members

Attributes

Security

CAMID("CognosEx:u:uid=user3")

1 row selected

|                                 | Type   |
|---------------------------------|--------|
| Admin                           | String |
| CAMID("CognosEx:u:uid=admin")   | String |
| ⋮ CAMID("CognosEx:u:uid=user3") | String |

Once user will be added ,open "User and group" by right click on the instance and refresh.

GO\_New\_Stores\_CAM: Users and groups

}Clients

×

⬆

📄

🔒

🔄

👤

👥

+

Selection

▼

⋮

▼

▶

|                               | ADMIN | SecurityAd... | DataAdmin | }tp_E |
|-------------------------------|-------|---------------|-----------|-------|
| Admin                         | ✓     | —             | —         |       |
| CAMID("CognosEx:u:uid=admin") | ✓     | —             | —         |       |

Assign user permission

GO\_New\_Stores\_CAM: Users and groups

}Clients

×

⬆

📄

🔒

🔄

👤

👥

+

Selection

▼

⋮

▼

▶

|                               | ADMIN | SecurityAd... | DataAdmin | }tp_Everyone | Operatic |
|-------------------------------|-------|---------------|-----------|--------------|----------|
| Admin                         | ✓     | —             | —         | ✓            | —        |
| CAMID("CognosEx:u:uid=admin") | ✓     | —             | —         | ✓            | —        |
| CAMID("CognosEx:u:uid=user3") | —     | —             | —         | —            | —        |

CAMID("CognosEx:u: uid=user3 ") | ADMIN

Cell value:

Copy

Ctrl C

Ctrl-V to paste

Cut

Ctrl X

Clear

Comments

Trace cell

Trace feeders

Check feeders

Assign user(s) to group(s)

Unassign user(s) to group(s)

Refresh security , now new added user have set permission to this instance

Cross-reference information

| Product   | Component   |
|---|---|
| <div><div></div><div>IBM Planning Analytics Local</div></div> | Planning Analytics->Security->TM1 User Group and Object |
| <div><div></div><div>Planning Analytics on Cloud</div></div>  |   |

Document Information

More support for:  
[IBM Planning Analytics Local](https://www.ibm.com/mysupport/s/topic/0TO500000002PWWGA2) (https://www.ibm.com/mysupport/s/topic/0TO500000002PWWGA2)

Component:  
Planning Analytics->Security->TM1 User Group and Object

Software version:  
All Versions

Document number:  
7182690

Modified date:  
01 April 2025